



GRINDERS

STELVIO

ROCKET
ESPRESSO MILANO

A GRINDER BUILT TO MEET THE DEMAND

During peak hours, busy cafés face intense pressure to deliver speed and consistency without compromising quality. Every second counts, and any slowdown can impact both customer satisfaction and service flow.

To meet this challenge, we designed a grinder specifically engineered to handle high-pressure, high-volume demand. It provides rapid and precise grinding every time, ensuring your café runs smoothly no matter how busy it gets.

This results in:

STELVIO STELVIO
ÉLITE





B

INTRODUCING THE NEXT IN ROCKET LINE UP.

STELVIO takes its name from the legendary Alpine pass and its place as the tallest and most powerful grinder in our lineup.

Refined precision, elevated performance.

A refined step forward that brings renewed features, improved performance, and a design language fully aligned with our current professional grinders range.

Beyond the surface.

In line with Rocket's high standards we chose the finest materials for every component of the grinder.

Two models:

STELVIO

STELVIO ÉLITE





**INNOVATION
GROUND TO
PERFECTION.**



**THE TECH
BEHIND IT**

ENGINEERED FOR PEAK PERFORMANCE

- 3.8 – 4.5 g/s espresso (68 mm) *
- 5.5 - 6 g/s espresso (83 mm) *
- 68 and 83 mm grinding disc

* Grinding output may vary depending on coffee variety, roast level, humidity and grind size

HEAVY-DUTY FORK & MICRO SWITCH

MICROSWITCH

Shock Resistance: Withstands vibrations and impact for prolonged grinder use.

Quick Response: Immediate start for seamless operation.

FORK

Material: Stainless Steel for corrosion resistance.

Strength: Designed to handle high torque and pressure.



STELVIO

Ø 68 mm flat burrs	Motor power: 550 W 220 - 240V 50 Hz
Instant productivity (espresso): 3.8 - 4.5 g/s	Quick-release micrometric adjustment
Coffee hopper capacity: 1.5 Kg	Hopper lid with R logo
Display Touch Screen 3,5" with new HMI	Grinding activation from display, from microswitch or both
Dimensions: 244W × 354D × 638H mm	Weight: 12.7 Kg

STELVIO ELITE

Ø 83 mm flat burrs	Motor power: 750 W 220 - 240V 50 Hz
Instant productivity (espresso): 5.5 - 6 g/s	Quick-release micrometric adjustment
Coffee hopper capacity: 1.5 Kg	Hopper lid with R logo
Display Touch Screen 3,5" with new HMI	Grinding activation from display, from microswitch or both
Dimensions: 244W × 354D × 638H mm	Weight: 14.5 Kg

COLOUR OPTIONS



Black



Chrome

QUICK TUNE MECHANISM

In fast-paced café environments, baristas require a grinder adjustment system that allows for quick, precise changes in grind size without disrupting workflow. Additionally, easy and rapid access to burrs and the grind chamber is essential for efficient cleaning and maintenance.

With just a click, the **QUICK TUNE** lets you glide effortlessly from micro to macro adjustments, giving you ultimate control over grind size in an instant.

Designed to save you precious time and keep your workflow flowing strong, even when the coffee rush hits full throttle.



BEAN SPOT

Busy baristas often struggle with uneven coffee grounds spilling outside the portafilter, creating mess and wasting precious product during hectic service.

A reliable grinding solution that ensures coffee lands exactly where it should — clean, precise, and consistent — so *baristas can focus on what really matters: crafting the perfect shot.*

BEAN SPOT grinds precisely to the center of the portafilter, minimizing mess and reducing coffee waste.

BEAN SPOT ensures even distribution for a balanced extraction.

Simplifies workflow, giving baristas one less thing to worry about during peak hours.





Rocket Milano s.r.l

Via Achille Grandi, 1 – Z.I. Nord
20060 Truccazzano MI, Italy.

Ig: [rocketespresso](https://www.instagram.com/rocketespresso)

Web: www.rocket-espresso.com